

MODULAR SEQUENCE TRAINER

New
ED-4010P

- Aluminum Profile-based work table structure for mounting the components
- Manufacturing electrical composition elements in modular type using actual components
- Wiring practices and circuit composition to configure sequence composition elements on the working board
- Various contents linked with e-learning such as wiring, operation and etc.



> EXPERIMENTS

- Basic circuit test
- Logic circuit test
- Direct insert movement test for 1pcs
- Direct insert movement test for 2pcs
- Magnetic maintaince circuit test
- Reactor movement test
- Timer circuit test
- Joint circuit test
- Advanced circuit test
- Forwarding driving circuit test
- Extract circuit test
- Delay movement circuit test
- Alarm and display circuit test
- Temporary driving circuit test
- Multi-contacts of relay for sequence application circuit test
- Y-Δ movement circuit test

> SPECIFICATIONS

EXPERIMENTAL MODULES (35ea)



PB-4010-1 Push Button Switch Unit(3ea)

- Terminal block wiring type / standalone type
- Momentary type 1a1b Contact
- □-shaped bracket / one-touch lock Base



PB-4010-2 Push Button Switch Unit(3ea)

- Direct wiring type / standalone type
- Momentary type 1a1b contact
- □-shaped bracket / one-touch lock base



PB-4010-3 Push Button Switch Unit(3ea)

- Terminal block wiring type /standalone type
- Detent type 1a1b contact
- □-shaped bracket / one-touch lock base



PB-4010-4 Push Button Switch Unit(3ea)

- Direct wiring type / standalone type
- Detent type 1a1b Contact
- □-shaped bracket / one-touch lock base




PB-4010-5 Push Button Switch Unit(2ea)

- Terminal block wiring type / standalone type
- Momentary type 1a1b contact
- □-shaped bracket / one-touch lock base



PB-4010-6 Push Button Switch Unit(2ea)

- Direct wiring type / combinational type
- Momentary type 1a1b contact
- □-shaped bracket / one-touch lock base



PB-4010-7 Push Button Switch Unit (2ea)

- Direct wiring type / combinational type
- Detent type 1a1b contact
- □-shaped bracket / one-touch lock base



DL-4010-8 Lamp Unit(2ea)

- Terminal block wiring type / standalone type
- DC 24V / LED type
- □-shaped bracket / one-touch lock base



DL-4010-9 Lamp Unit(2ea)

- Direct wiring type / standalone type
- DC 24V / LED type
- □-shaped bracket / one-touch lock base



DL-4010-10 Lamp Unit(2ea)

- Terminal block wiring type / standalone type
- AC 220V / Transformer built-in type
- □-shaped bracket / one-touch lock base



DL-4010-11 Lamp Unit(2ea)

- Direct wiring type / standalone type
- AC 220V / Transformer built-in type
- □-shaped bracket / one-touch lock base



DL-4010-12 Lamp Unit(2ea)

- Terminal block wiring type / combinational type
- DC 24V / LED type
- □-shaped bracket / one-touch lock base



DL-4010-13 Lamp Unit(2ea)

- Direct wiring type / combinational type
- DC 24V / LED type
- □-shaped bracket / one-touch lock base



DL-4010-14 Lamp Unit(2ea)

- Direct wiring type / combinational type
- DC 24V / LED type
- □-shaped bracket / one-touch lock base



DL-4010-15 Lamp Unit(2ea)

- Terminal block wiring type / standalone type
- AC 220V / Transformer built-in type
- □-shaped bracket / one-touch lock base



DB-4010-16 Buzzer Unit

- Terminal block wiring type / standalone type
- DC 24V / continuous beep
- □-shaped bracket / one-touch lock base

MODULAR SEQUENCE TRAINER

ED-4010P



AB-4010-17 Buzzer Unit

- Terminal block wiring type / standalonetype
- AC 220V / continuous beep
- C-shaped bracket / one-touch lock base



AT-4010-18 Timer Unit

- Direct wiring type
- On-delay type / AC220V power source
- Black painted aluminum / one-touch lock base



AB-4010-19 Timer Unit

- Direct wiring type
- Off-Delay Type / AC220V power source
- Black painted aluminum / one-touch lock base



AT-4010-20 Timer Unit

- Direct wiring type
- Flicker type 1a1b contact
- Black painted aluminum / one-touch lock base



AM-4010-21 AC Motor Unit

- Terminal block wiring type
- AC 3-phase 220V / 40W
- Black painted aluminum / one-touch lock base



DM-4010-22 DC Motor Unit

- Terminal block wiring type
- DC 24V / 15W
- Black painted aluminum / one-touch lock base



MC-4010-23 MC Unit

- Direct wiring type
- DC 24V 4a4b / auxiliary contact included
- Black painted aluminum / one-touch lock base



MC-4010-24 MC Unit

- Direct wiring type
- AC 220V 4a4b / auxiliary contact included
- Black painted aluminum / one-touch lock base



AC-4010-25 Counter Unit

- Direct wiring type / standalone type
- AC 220V power source / built-in digital switch
- Black painted aluminum / one-touch lock base



DR-4010-26 Relay Unit

- Direct wiring type / base combinational type
- DC 24V / LED built-in 14 pin
- Black painted aluminum / one-touch lock base



AR-4010-27 Relay Unit

- Direct wiring type / base combinational type
- AC 220V / LED type
- Black painted aluminum / one-touch lock base



DMM-4010-28 DMM Unit

- Measures voltage / current / insulation
- Buzzer sound indication / probes included
- 0.05% DC voltage accuracy

MODULAR SEQUENCE TRAINER

ED-4010P



NFB-4010-29 NFB Unit

- Direct wiring type / channel mounted type
- AC 220V / 15A
- Black painted aluminum / one-touch lock base



CP-4010-30 Control Panel Unit

- 16mm lamp / built-in switch
- AC 220V 1-pole / fuse holder
- One-touch lock base



PL-4010-31 PLC Unit

- Terminal block wiring type
- CPU incorporated structure / I/O 40 contacts
- Aluminum pulverulent coating / one-touch lock base



CU-4010-32 Channel Unit

- Random fixation of each component unit
- 150mm / mountable by coupling
- Aluminum pulverulent coating / one-touch lock base



ST-4010-33 Work Table

- 3-step drawers in configuration
- Working Board: 700(W) x 1000(H) x 300(D)mm
- Parts Fixation Board(Built-in)



CP-4010-34 Wire Loosener(1ea)

- Roll type structure for tension movement
- Placement inside the table or standalone configuration



BI-4010-35 Vise(1ea)

- Mountable on the table's front or side face
- Unfolds the electric wire which was bent
- Small and compact size

ACCESSORIES



Terminal Block 10P




Terminal Block 20P



Fuse



Fuse Holder



Terminal



Stopper