

Product List TekBox Test Equipment

valid from 14.11.2025

Amplifier

Product	Description		
TBWA2/20dB	20dB wideband amplifier		
TBWA2/40dB	40dB wideband amplifier		
TBHDR1	High Dynamic Range RF Pre-Amplifier		
TBDA1/14	14 dB wideband driver amplifier		
TBDA1/28	28 dB wideband driver amplifier		
TBMDA1	modulated wideband driver amplifier 50 MHz- 3 GHz, 0.15W, AM/PM		
TBMDA2	modulated wideband driver amplifier 10 MHz - 1.5 GHz, 0.5W, AM/PM		
TBMDA3B	modulated wideband power amplifier 10 MHz - 1GHz		
TBMDA4B	modulated wideband power amplifier 100 kHz - 70 MHz		
TBMDA5	modulated wideband power amplifier 150 kHz - 400 MHz		
TBMDA7	modulated wideband power amplifier 1 GHz - 3 GHz		
TBMDA-BCI25	modulated wideband power amplifier 25W 1 MHz – 400 MHz		
TBMDA-CDN25	modulated wideband power amplifier 25W 100 kHz - 250 MHz		
TBLPA1	linear wideband RF power amplifier 50 MHz - 1 GHz		
TBLNA-110M-50	DC-coupled Low Noise Amplifier		
TBLNA-110M-HZ	DC-coupled Impedance Converter		new
TBCS101-TGA	DC-coupled driver amplifier		
TBCS101-DA	Differential Amplifier		
TBWA2/20dB/40dB	wideband amplifier set, 1 TBWA2/20dB, 1 TBWA/40dB		
TBWADA/bundle	amplifier set 1 TBWA2/20dB, 1 TBWA2/40dB, 1 TBDA1/14, 1 TBDA1/28		

Analyzers and Receivers

Product	Description		
TBMR-110M	EMI-Analyzer DC-110 MHz		
TBVNA-6000	6GHz VNA		
TBVC-NF6	VNA Calibration Kit N Female		
TBVC-NM6	VNA Calibration Kit N Male		
TBVC-SF6	VNA Calibration Kit SMA Female		
TBVC-SM6	VNA Calibration Kit SMA Male		

Antennas

Product	Description		
TBMA1B	30MHz – 3000 MHz Biconical Measurement Antenna		
TBMA1C	20MHz – 1000 MHz Biconical Measurement Antenna	new	
TBMA2	30MHz – 300 MHz Biconical Measurement Antenna		
TBMA3	250MHz – 1300 MHz Logarithmic Periodic Antenna		
TBMA4	1 GHz – 8 GHz Double Ridged Horn Antenna		
TBMA5B	9 kHz - 30 MHz Active Monopole Antenna		
TBMA6-P	9 kHz - 30 MHz Passive Loop Antenna		
TBMA6-CC30CM-D	slotted coaxial cable for 30 cm loop		
TBMA7	150 MHz – 3000 MHz Log Periodic Measurement Antenna		
TBMA8	30 MHz – 3000 MHz Hybrid Measurement Antenna		
TBMA8-PA	Tiltable mounting bracket for TBMA8		
TBMA8-PAT	Tiltable mounting bracket for TBMA8		
TBMA4-MR	aluminum mounting rod 300mm / Φ 22mm for TBMA4 horn antenna		
TBMA4-PAI	Φ 22mm POM adapter with standard 1/4" thread		
TBMA4-PAI-3-8	POM adapter with standard 3/8" thread		

TBMA4-PAT	Φ 22mm POM adapter for TBTP3 tripod		
TBMA1-PAT	POM adapter with standard 1/4" thread		
TBLLA-2M	9 KHz – 30 MHz Large Loop Antenna		
TBLLA-CDP	Calibration dipole		
TBLLA-CDP-SS	Support structure for calibration dipole		
TBRE101	30 Hz – 100 KHz RE101 Loop Antenna		
TBRS101-TX	30 Hz – 100 KHz RS101 Loop Antenna		
TBRS101-RX	Calibration antenna for RE101 and RS101 test		
TBRS101-SET	Set of TBRS101-TX, TBCCP1-2K70 and accessories		
TBLNA-9K30	Loop Antenna Pre-Amplifier		

Cables

Product	Description		
NM-NM/30/RM141	N-Male to N-Male cable, 30 cm, RM141		
NM-NM/35/RG223	N-Male to N-Male cable, 35 cm, RG223/U		
NM-NM/50/RM141	N-Male to N-Male cable, 50 cm, RM141		
NM-NM/75/RG58	N-Male to N-Male cable, 75 cm, RG58		
NM-NM/75/RG223	N-Male to N-Male cable, 75 cm, RG223/U		
NM-NM/75/RG142/test	N-Male to N-Male, 75cm, low loss, double shielded RG142 with stainless steel armour, stainless steel precision connectors with >= 1000 cycles		
NM-NM/100/RM141	N-Male to N-Male cable, 100 cm, RM141		
NM-NM/125/RG223	N-Male to N-Male cable, 125 cm, RG223/U		
NM-NM/312/RG213	N-Male to N-Male cable, 312 cm, RG213/U		
NM-NM/300/RG142	N-Male to N-Male cable, 300 cm, RG142		
NM-NM/500/RG223	N-Male to N-Male, 500 cm, RG223/U		
NM-NM/500/RG213	N-Male to N-Male, 500 cm, RG213/U		
NM-NM/1000/RG142	N-Male to N-Male cable, 1000 cm, RG142		

NM-SMAM/30/RM141	N-Male to SMA-Male cable, 30 cm, RM141		
NM-SMAM/35/RG223	N-Male to SMA-Male, 35 cm, RG223/U		
NM-SMAM/50/RM141	N-Male to SMA-Male cable, 50 cm, RM141		
NM-SMAM/75/RG58	N-Male to SMA-Male, 75 cm, RG58		
NM-SMAM/75/RG223	N-Male to SMA-Male, 75 cm, RG223/U		
NM-SMAM/75/RG142/test	N-Male to SMA-Male, 75cm, low loss, double shielded RG142 with stainless steel armour, stainless steel precision connectors with >= 1000 cycles		
NM-SMAM/100/RM141	N-Male to SMA-Male cable, 100 cm, RM141		
NM-SMAM/125/RG223	N-Male to SMA-Male, 125 cm, RG223/U		
NM-SMAF/50/RM141	N-Male to SMA-Female cable, 50 cm, RM141		
NM-SMAF/100/RM141	N-Male to SMA-Female cable, 100 cm, RM141		
NM-BNCM/35/RG223	N-Male to BNC-Male, 35 cm, RG223/U		
NM-BNCM/75/RG58	N-Male to BNC-Male, 75 cm, RG58		
NM-BNCM/75/RG223	N-Male to BNC-Male, 75 cm, RG223/U		
NM-BNCM/125/RG223	N-Male to BNC-Male, 125 cm, RG223/U		
BNCM-BNCM/35/RG223	BNC-Male to BNC-Male, 35 cm, RG223/U		
BNCM-BNCM/75/RG58	BNC-Male to BNC-Male, 75 cm, RG58		
BNCM-BNCM/75/RG223	BNC-Male to BNC-Male, 75 cm, RG223/U		
BNCM-BNCM/125/RG223	BNC-Male to BNC-Male, 125 cm, RG223/U		
BNCM-BNCM/150/RG6/75Ω	BNC-Male to BNC-Male, 150 cm, RG6, 75Ω		
BNCM-BNCM/300/RG6/75Ω	BNC-Male to BNC-Male, 300 cm, RG6, 75Ω		
BNCM-BNCM/500/RG6/75Ω	BNC-Male to BNC-Male, 500 cm, RG6, 75Ω		
BNCM-SMAM/35/RG223	BNC-Male to SMA-Male, 35 cm, RG223/U		
SMAM-SMAM/25/RG316	SMA-Male to SMA-Male, 25cm, RG316/U		
SMAM-SMAM/30/RM141	SMA-Male to SMA-Male cable, 30 cm, RM141		
SMAM-SMAM/50/RM141	SMA-Male to SMA-Male cable, 50 cm, RM141		
SMAM-SMAM/75/RG316	SMA-Male to SMA-Male, 75cm, RG316/U		
SMAM-SMAM/100/RM141	SMA-Male to SMA-Male cable, 100 cm, RM141		
SMAM-SMAM/125/RG223	SMA-Male to SMA-Male, 125cm, RG223/U		
SMAM-SMAM/75/RG142/test	SMA-Male to SMA-Male, 75cm, low loss, double shielded RG142 with stainless steel armour, stainless steel precision connectors with >= 1000 cycles		

SMAM-SMAF/50/RM141	SMA-Male to SMA-Female cable, 50 cm, RM141		
SMAM-SMAF/100/RM141	SMA-Male to SMA-Female cable, 100 cm, RM141		
SMAM-SMBF/75/RG316	SMA-Male to SMB-Female, 75cm, RG316/U		

all cables can be supplied with different length and other coaxial connectors upon request

Comb Generators

Product	Description		
TBCG1-25MHz	Radiating Comb Generator		
TBCG1-100MHz	Radiating Comb Generator		
TBCG2	Comb Generator/Frequency Multiplier		
TBCG3-CN	Comb Generator		
TBCG3-RN2	Comb Generator		
TBCG3-RN6	Comb Generator		
TBCG4	General Purpose Comb Generator		

Coupling Decoupling Networks

Product	Description		
TBCDN-M1	Coupling Decoupling Network M1		
TBCDN-M2	Coupling Decoupling Network M2		
TBCDN-M3	Coupling Decoupling Network M3		
TBCDN-M4	Coupling Decoupling Network M4		
TBCDN-M5	Coupling Decoupling Network M5		
TBCDN-M1-AP	Adapter panel with shorting bar for M1 coupling decoupling network; N-Female to 4mm Banana plug		
TBCDN-M2-AP	Adapter panel with shorting bar for M2 coupling decoupling network; N-Female to 2x 4mm Banana plug		
TBCDN-M3-AP	Adapter panel with shorting bar for M3 coupling decoupling network; N-Female to 3x 4mm Banana plug		
TBCDN-M4-AP	Adapter panel with shorting bar for M4 coupling decoupling network; N-Female to 4x 4mm Banana plug		
TBCDN-M5-AP	Adapter panel with shorting bar for M5 coupling decoupling network; N-Female to 5x 4mm Banana plug		
TBCDNAS-M1	CDN M1 accessory set		

TBCDNAS-M2	CDN M2 accessory set		
TBCDNAS-M3	CDN M3 accessory set		
TBCDNAS-M4	CDN M4 accessory set		
TBCDNAS-M5	CDN M5 accessory set		
TBCDN-50-150	50 Ω to 150 Ω N-male to N-female adapter		
TBCDNE-M2	Coupling Decoupling Network Emission M2		
TBCDNE-M3	Coupling Decoupling Network Emission M3		
TBCDNE-M2-AP	Adapter panel with shorting bar for M2 CDNE; N-Female to 4mm Banana plug		
TBCDNE-M3-AP	Adapter panel with shorting bar for M3 CDNE; N-Female to 4mm Banana plug		
TBCDNE-MX-CAL3	Balun and OSL adapters for differential mode impedance measurement/calibration	new	
TBCDNE-M2-CAL1	50 Ω to 150 Ω adapter panel for VDF measurement / calibration of TBCDNE-M2		
TBCDNE-M3-CAL1	50 Ω to 150 Ω adapter panel for VDF measurement / calibration of TBCDNE-M3		
TBCDNE-M2-CAL2	OSL adapters for common mode impedance measurement / calibration of TBCDNE-M2		
TBCDNE-M3-CAL2	OSL adapters for common mode impedance measurement / calibration of TBCDNE-M3		
TBCDNE-M3-CAL3	OSL adapters for differential mode impedance measurement / calibration of TBCDNE-M2/M3		

ESD Products

Product	Description		
TBESDT1	2 Ohm ESD-Target		
TBESDT2	1 Ohm ESD-Target		
TBESDMP1	ESD Target Mounting Panel		

LISN

Product	Description		
TBL00705-2	0.7 μ H Line Impedance Stabilisation Network		
TBL0110-2	1 μ H 10 A Line Impedance Stabilisation Network LISN		

TBL0225-2	2 μ H Line Impedance Stabilisation Network		
TBL0510-1	5uH DC Line Impedance Stabilisation Network LISN	new	
TBL0550-1	5uH 50A Line Impedance Stabilisation Network LISN		
TBL05100-1	5uH 100A Line Impedance Stabilisation Network LISN		
TBL05100-1-B	5uH 100A Line Impedance Stabilisation Network LISN		
DC-LISN-Combo1C	TBL05100-1, 1 TBLM02, 1 BNC Termination, 1x N-Male to BNC-Male 75 cm RG58, 2x BNC-Male to BNC-Male 35 cm RG2	new	
TBLM02	Line Impedance Stabilisation Network LISN Mate		
TBL5008-2B (EU, US, AU or UK)	50uH 8A AC Line Impedance Stabilisation Network LISN		
TBL5008-2C (EU, US, AU or UK)	50uH 8A AC Line Impedance Stabilisation Network LISN		
TBL5016-1	50uH 16A Line Impedance Stabilisation Network LISN		
TBL5016-2B (EU, US, AU or UK)	50uH 16A Line Impedance Stabilisation Network LISN		
TBL5016-2C (EU, US, AU or UK)	50uH 16A Line Impedance Stabilisation Network LISN		
TBL5016-3 (EU, US, AU or UK)	50uH 16A Line Impedance Stabilisation Network LISN		
TBL5032-3 (EU, US, AU or UK)	50uH 32A Line Impedance Stabilisation Network LISN		
TBL5063-3	50uH Line Impedance Stabilisation Network LISN	new	
TBL50100-1	50uH 100A Line Impedance Stabilisation Network LISN		
TBLDC32-2	V-Y- Δ DC-LISN		
TBISN-T4	Two balanced pairs ISN	new	
TBLVHF-B	Balanced VHF Line Impedance Stabilization Network	new	
TBL0550-1-10uF-50/60Hz	10 μ F capacitor Module for TBL0550-1 , source 250V/50/60Hz		
TBL0550-1-10uF-50/60/400Hz	10 μ F capacitor Module for TBL0550-1 source 250V/50/60/400Hz		
TBL05100-1-10uF	External 10uF Capacitor for TBL05100-1 LISN 50/60Hz		
TBLA-3P-16A	BNC adapter for 3 Phase LISN TBL5016-16A EUT socket		
TBLA-3P-32A	BNC adapter for 3 Phase LISN TBL5032-32A EUT socket		
TBLA-PH1	BNC adapter for TBL5016-1 or TBL0550 EUT/SOURCE socket		
TBLA-PH2	BNC adapter for TBL50100 or TBL05100 EUT/SOURCE socket		

Near Field Probes

Product	Description		
TBPS01	EMC near field probe set		
TBPS01-TBHDR1	EMC Near-field Probe Set + RF Pre-Amplifier		
TBPS01-TBWA2/20dB	EMC Near-Field Probe Set + 20dB Wideband Amplifier in a wooden box		
TBPS01-TBWA2/40dB	EMC Near-Field Probe Set + 40dB Wideband Amplifier in a wooden box		

RF Current Probes

Product	Description		
TBBCI1-200K280	Bulk Injection Probe		
TBBCI1-800K420	Bulk Injection Probe		
TBCP1-200	Current Monitoring Probe, fixed aperture 25mm		
TBCP1-250	Current Monitoring Probe, fixed aperture 25mm		
TBCP1-500	Current Monitoring Probe, fixed aperture 25mm		
TBCP2-250	Current Monitoring Probe, snap on aperture 32mm		
TBCP2-500	Current Monitoring Probe, snap on aperture 32mm		
TBCP2-750	Current Monitoring Probe, snap on aperture 32mm		
TBCP2-30K400	Current Monitoring Probe, snap on aperture 32mm		
TBCP2-20M700	Current Monitoring Probe, snap on aperture 32mm	new	
TBCP2-30M1000	Current Monitoring Probe, snap on aperture 32mm	new	
TBCP3-1000	Current Monitoring Probe, fixed aperture 17mm		
TBCP4-250	Current Monitoring Probe, fixed aperture 32mm		
TBCP4-500	Current Monitoring Probe, fixed aperture 32mm		
TBCP4-750	Current Monitoring Probe, fixed aperture 32mm		
TBCP5-150K400	150kHz-400MHz RF current probe		
TBCP1-CAL	Calibrator		
TBCP2-CAL	Calibrator		
TBCP3-CAL	Calibrator		

TBCP4-CAL	Calibrator		
TBCP5-CAL	Calibrator		
TBCCI1-CAL	Calibrator		
TBPCP2-CAL	Calibrator		
TBPCP3-CAL	Calibrator		
TBPCP4-CAL	Calibrator		
TBEMCL1-CAL	EM-Clamp Calibration Fixture	new	
TBCCP1-2K70	Coaxial RF Current Monitoring Probe		
TBCCP1-3K100	Coaxial RF Current Monitoring Probe		
TBCCP1-400K600	Coaxial RF Current Monitoring Probe		
TBPCP1-20100	RF pulse current monitoring probe		
TBPCP2-3070	RF pulse current monitoring probe		
TBPCP3-2H40	RF pulse current monitoring probe		
TBPCP3-05H30	RF pulse current monitoring probe		
TBPCP3-20H70	RF pulse current monitoring probe		
TBPCP3-100H80	RF pulse current monitoring probe		
TBPCP4-1H30	RF pulse current monitoring probe		
TBPCP4-5H50	RF pulse current monitoring probe		
TBPCP4-50H50	RF pulse current monitoring probe		
TBPCP4-100H60	RF pulse current monitoring probe		
TBSCP1-5M300	RF Surface Current Monitoring Probe		
TBSCP1-10M500	RF Surface Current Monitoring Probe		

RF Housings

Product	Description		
TBRFH1-35-NM-NF-3-0	RF Housing 35mm N/Male to N/Female		
TBRFH1-35-NF-NF-3-0	RF Housing 35mm N/Female to N/Female		
TBRFH1-35-SMAM-SMAF-3-0	RF Housing 35mm SMA/Male to SMA/Female		
TBRFH1-35-SMAF-SMAF-3-0	RF Housing 35mm SMA/Female to SMA/Female		

TBRFH1-35-BNCM-BNCF-3-0	RF Housing 35mm BNC/Male to BNC/Female		
TBRFH1-35-BNCF-BNCF-3-0	RF Housing 35mm BNC/Female to BNC/Female		
TBRFH1-50-NM-NF-3-0	RF Housing 50mm N/Male to N/Female		
TBRFH1-50-NF-NF-3-0	RF Housing 50mm N/Female to N/Female		
TBRFH1-50-SMAM-SMAF-3-0	RF Housing 50mm SMA/Male to SMA/Female		
TBRFH1-50-SMAF-SMAF-3-0	RF Housing 50mm SMA/Female to SMA/Female		
TBRFH1-50-BNCM-BNCF-3-0	RF Housing 50mm BNC/Male to BNC/Female		
TBRFH1-50-BNCF-BNCF-3-0	RF Housing 50mm BNC/Female to BNC/Female		
TBRFH1-100-NM-NF-3-0	RF Housing 100mm N/Male to N/Female		
TBRFH1-100-NF-NF-3-0	RF Housing 100mm N/Female to N/Female		
TBRFH1-100-SMAM-SMAF-3-0	RF Housing 100mm SMA/Male to SMA/Female		
TBRFH1-100-SMAF-SMAF-3-0	RF Housing 100mm SMA/Female to SMA/Female		
TBRFH1-100-BNCM-BNCF-3-0	RF Housing 100mm BNC/Male to BNC/Female		
TBRFH1-100-BNCF-BNCF-3-0	RF Housing 100mm BNC/Female to BNC/Female		
TBRFH1-FTC	Feed through capacitor for TBRFH1		
TBRFH2	Coaxial RF Housing Cylindric N/Male to N/Female		
TBRFH3-5527	RF Housing		
TBRFH3-5555	RF Housing		
TBRFH4	RF Housing		
TBRFH5	RF Housing		
TBRFH6	RF Housing		
TBRFH7	RF Housing		

Shielded Solutions

Product	Description		
TBST86/49/45/1-B	Shielded Tent 86 cm x 49 cm x 45 cm (without main AC filter)		
TBST86/49/45/2-B	Shielded Tent 86 cm x 49 cm x 45 cm (with main AC filter)		
TBST120/60/60/2-B	Shielded Tent 120 cm x 60 cm x 60 cm		
TBST100/100/200	Shielded Tent 100 cm x 100 cm x 200 cm		

TBST200/100/100	Shielded Tent 200 cm x 104 cm x 100 cm		
TBSB-70/40	Shielded Bag 70 cm x 40 cm		
TBSB-105/60	Shielded Bag 105 cm x 60 cm		
TBGP-250/140	Roll Up Ground Plane		

Signal Injectors

Product	Description		
TBJT01	Injection transformer		
TBJT02	Injection transformer		
TBJT03	Injection transformer		

Spectrum Analyzer / EMI Receiver RF input protection

Product	Description		
TBFL1	Transient Limiter / Attenuator		
TBAS1	RF attenuator set		
TBAS2	SMA Attenuator/Termination Set		
TBAS3	10W N RF Attenuator Set		
TBAS4	6GHz 2W N RF Attenuator Set		
TBATT-N-10-3	Attenuator, N-male/N-female, 3GHz, 10W, 3dB		
TBATT-N-10-6	Attenuator, N-male/N-female, 3GHz, 10W, 6dB		
TBATT-N-10-10	Attenuator, N-male/N-female, 3GHz, 10W, 10dB		
TBATT-N-10-20	Attenuator, N-male/N-female, 3GHz, 10W, 20dB		
TBATT-N-10-30	Attenuator, N-male/N-female, 3GHz, 10W, 30dB		
TBATT-N-25-3	Attenuator, N-male/N-female, 3GHz, 25W, 3dB		
TBATT-N-25-6	Attenuator, N-male/N-female, 3GHz, 25W, 6dB		
TBATT-N-25-10	Attenuator, N-male/N-female, 3GHz, 25W, 10dB		
TBATT-N-25-20	Attenuator, N-male/N-female, 3GHz, 25W, 20dB		
TBATT-N-25-30	Attenuator, N-male/N-female, 3GHz, 25W, 30dB		

TBATT-N-50-3	Attenuator, N-male/N-female, 3GHz, 50W, 3dB		
TBATT-N-50-6	Attenuator, N-male/N-female, 3GHz, 50W, 6dB		
TBATT-N-50-10	Attenuator, N-male/N-female, 3GHz, 50W, 10dB		
TBATT-N-50-20	Attenuator, N-male/N-female, 3GHz, 50W, 20dB		
TBATT-N-50-30	Attenuator, N-male/N-female, 3GHz, 50W, 30dB		
TBATT-N-100-3	Attenuator, N-male/N-female, 3GHz, 100W, 3dB		
TBATT-N-100-6	Attenuator, N-male/N-female, 3GHz, 100W, 6dB		
TBATT-N-100-10	Attenuator, N-male/N-female, 3GHz, 100W, 10dB		
TBATT-N-100-20	Attenuator, N-male/N-female, 3GHz, 100W, 20dB		
TBATT-N-100-30	Attenuator, N-male/N-female, 3GHz, 100W, 30dB		
TBTERFT-0.5W-1GHz-BNCF/BNCM	Feedthrough Termination 50 Ohm, 0.5W, BNC-female to BNC male, 1GHz		
TBTER-0.5W-2GHz-BNCM	Termination 50 Ohm, 0.5W, BNC male, 2GHz	change	
TBTER-2W-3GHz-50-BNCM	Termination 50 Ohm, 2W, BNC-male, 3GHz		
TBTER-2W-6GHz-50-N	Termination 50 Ohm, 2W, N-male, 6GHz		
TBTER-10W-6GHz-50-N	Termination 50 Ohm, 10W, N-male, 6GHz		
TBTER-25W-3GHz-50-N	Termination 50 Ohm, 25W, N-male, 3GHz		
TBHPPF1-9kHz-B	9kHz High Pass Filter		
TBHPPF1-150kHz-B	150kHz High Pass Filter		
TBHPPF2-150kHz	150kHz High Pass Filter		
TBHPPF3-150kHz	150kHz High Pass Filter		

TEM Cells

Product	Description		
TBTC0	TEM Cell 28 mm		
TBTC1	TEM Cell 50 mm		
TBTC2	TEM Cell 100 mm		
TBTC3	TEM Cell 150 mm		
TBGTC1	GTEM Cell		

Various

Product	Description		
TBBT01	High Current Bias-Tee		
TBCAS1	Coaxial Adapter Set		
TBBNC1	BNC Accessory Set		
TBOH02	Self Powered Active Load		
TBRFPS1	General Purpose 2 Way Power Splitter/Power Combiner 0.1-800 MHz		
TBRFPS4	General Purpose 2 Way Power Splitter/Power Combiner 5-3000 MHz		
TBPC-IEC60309-3m	3-phase mains power cable, 16A, 3m, CEE / I 3L+N+PE, 16A, male, CEE / IEC60309, 3L+N+PE, 16A, female		
TBPC-IEC60309-5m	3-phase mains power cable, 16A, 5m, CEE / I 3L+N+PE, 16A, male, CEE / IEC60309, 3L+N+PE, 16A, female		
TBPC-IEC60309-10m	3-phase mains power cable, 16A, 10m, CEE / I 3L+N+PE, 16A, male, CEE / IEC60309, 3L+N+PE, 16A, female		
TBCON-CEE-M	CEE / IEC60309, 3L+N+PE, 16A, male cable connector		
TBCON-CEE-F	CEE / IEC60309, 3L+N+PE, 16A, female cable connector		
TBPC-IEC60309-32-3m	3-phase mains power cable, 32A, 3m, CEE / I 3L+N+PE, 32A, male, CEE / IEC60309, 3L+N+PE, 32A, female		
TBPC-IEC60309-32-5m	3-phase mains power cable, 32A, 5m, CEE / I 3L+N+PE, 32A, male, CEE / IEC60309, 3L+N+PE, 32A, female		
TBPC-IEC60309-32-10m	3-phase mains power cable, 32A, 10m, CEE / I 3L+N+PE, 32A, male, CEE / IEC60309, 3L+N+PE, 32A, female		
TBCON-CEE-M-32	CEE / IEC60309, 3L+N+PE, 32A, male cable connector		
TBCON-CEE-F-32	CEE / IEC60309, 3L+N+PE, 32A, female cable connector		
TBCON-IEC60309-SPEU	1-phase mains power cable, 16A, 1.5 m length, CEE / IEC60309, Schuko		
TBCON-IEC60309-SPUK	1-phase mains power cable, 13A, 1.5 m length, CEE / IEC60309, UK connector		
TBCON-IEC60309-SPUS	1-phase mains power cable, 15A, 1.5 m length, CEE / IEC60309, US connector		
TBCON-IEC60309-SPAU	1-phase mains power cable, 15A, 1.5 m length, CEE / IEC60309, AU connector		
TBSP-08-Schuko	Rewirable 8 A Schuko (CEE 7/4) plug for extension cables		
TBSP-16-Schuko	Rewirable 16 A Schuko (CEE 7/4) plug for extension cables		
TBPC- IEC60309-63-3m	3-phase mains power cable, 63A, 3m length, CEE / IEC60309	new	
TBPC- IEC60309-63-5m	3-phase mains power cable, 63A, 5m length, CEE / IEC60309	new	
TBPC- IEC60309-63-10m	3-phase mains power cable, 63A, 10m length, CEE / IEC60309	new	
TBCON-CEE-M-63 CEE	IEC60309-63, 3L+N+PE, 63A, male cable connector	new	
TBCON-CEE-F-63 CEE	IEC60309-63, 3L+N+PE, 63A, female cable connector	new	

TBLA-3P-63A	Coaxial calibration adapter set	new	
TBLCAC-08-EU	Additional cold appliance cable, 8 A, 1.8m, C13 to country specific (-EU/US/UK/AU)		
TBLCAC-16-EU	Additional cold appliance cable, 16 A, 1.8m, C13 to country specific (-EU/US/UK/AU)		
TBLCAL – EU	Calibration adapters SMA-F-CE7/3 Neutral + SMA-F-CE7/3 Line		
TBLCAL – US	Calibration adapters SMA-F-NEMA 5-15 Neutral + SMA-F- NEMA 5-15 Line		
TBLCAL – AU	Calibration adapters SMA-F-AS/NZS 3112:201 Neutral + SMA-F-AS/NZS 3112:201 Line		
TBLCAL – UK	Calibration adapters SMA-F- BS1363 Neutral + SMA-F- BS1363 Linev		
TBLDS1	Pre-Compliance Load Dump Simulator	new	
TBCH1	Cable Holder		
TBCH2	Cable Holder		
TBTP1	Carbon Fibre Tripod		
TBTP2	Pistol Grip Tripod		
TBTP3	Wooden Tripod		
TBTP4	Wooden Tripod		
TBTP5	Glass Fiber Tripod		
TBTWR-05NM	Torque Wrench SMA Type		
TBTWR-1.2NM-N-20mm	Torque Wrench N Type	new	
TBTWR-1.2NM-N-19mm	Torque Wrench N Type	new	
TBCMC-1	Common Mode Choke		
TBTB-1	Test PCB		
TBTB-2	Test PCB		
EMCview	EMCview Standard License		
EMCviewPro	EMCview Pro License		
EMCview-Std-Pro-Update	EMCview Standard to Pro Update		

VSWR Bridges

TBSWR-60K500	50 Ω High Power VSWR Bridge		
TBSWR-200K500	50 Ω High Power VSWR Bridge		
TBSWR-300K6000	50 Ω General Purpose VSWR Bridge		

TBSWR-600K700	50 Ω High Power VSWR Bridge		
---------------	------------------------------------	--	--

	Discount Level 1	1 to 9	
	Discount Level 2	10 to 49	
	Discount Level 3	50 to 99	
	Discount Level 4	100+	